

áspero | FULLBODY
COLLECTION VITRIFIED TILES | 60x
60cm



10mm

CORE

SERIES

16mm



CORE SERIES

Embody the fascinating subtleties

Create an ambiance closest to nature with mesmerizing subtleties of the tiles of the Core Series, which are fascinatingly subtle, elegant, and simply stunning.

FULLBODY
VITRIFIED TILES | 60x
60cm



CORE SERIES

An absolute collection of delicacies

The mesmerizing collection of the Core Series is an embodiment of subtlety and finesses with calm undertones, nature resembling finish, multiple thicknesses, and noteworthy attributes.

**FULLBODY
VITRIFIED TILES**

**60x
60cm**




Matt Finish

Experience the raw elegance of nature through the matt finish of the collection.

6 Color

The mesmeric undertones of the series are available in 6 mesmeric colors.



1 Size

The series comes in a versatile size of 60x60cm for varied uses.



✂ 10mm



✂ 16mm





CORE
SERIES



COLORS
DON'T FADE
OVER TIME



LOW WATER
ABSORPTION



FROST
RESISTANT



SLIP
RESISTANT



EASY TO
CLEAN



HIGHLY
RESISTANT
TO LOADS



FLAME
PROOF



MOULD AND
MOSS
RESISTANT



STAIN
PROOF



CHEMICAL
RESISTANT




Core Crema

FULLBODY VITRIFIED TILES

✕ 10mm ✕ 16mm

60x60cm
Matt Finish



CORE
SERIES



Core Sahara

FULLBODY VITRIFIED TILES

✕ 10mm ✕ 16mm

60x60cm
Matt Finish



CORE
SERIES



PREVIEW OF **CORE SAHARA**



Core Choco

FULLBODY VITRIFIED TILES

✂ 10mm ✂ 16mm

60x60cm
Matt Finish



CORE
SERIES



PREVIEW OF **CORE CHOCO**




Core Blanco

FULLBODY VITRIFIED TILES

✂ 10mm ✂ 16mm

60x60cm
Matt Finish



CORE
SERIES



PREVIEW OF **CORE BLANCO**




Core Gris


FULLBODY VITRIFIED TILES

✂ 10mm ✂ 16mm

60x60cm
Matt Finish



CORE
SERIES




Core Nero

FULLBODY VITRIFIED TILES

✕ 10mm ✕ 16mm

60x60cm
Matt Finish



CORE
SERIES



PREVIEW OF **CORE NERO**

TECHNICAL SPECIFICATION OF FULLBODY VITRIFIED TILES

	CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP BIa	MEAN VALUE OF OASIS FULLBODY VITRIFIED TILES		TEST METHOD
			16 mm	10 mm	
Regulatory Properties	Deviation In Length & Width	± 0.50 %	± 0.20 %	± 0.20 %	ISO-10545-2
	Deviation In Thickness	± 5.00 %	± 4.00 %	± 4.00 %	ISO-10545-2
	Straightness Of Sides	± 0.50 %	± 0.10 %	± 0.10 %	ISO-10545-2
	Rectangularity	± 0.50 %	± 0.20 %	± 0.20 %	ISO-10545-2
	Surface Flatness	± 0.50 %	± 0.20 %	± 0.20 %	ISO-10545-2
	Color Differences	Unaltered	No Change	No Change	ISO-10545-16
Structural Properties	Water Absorption	< 0.50 %	< 0.50 %	< 0.05 %	ISO-10545-3
	Apparent Density	> 2.00 g/cc	> 2.28 g/cc	> 2.28 g/cc	DIN 51082
Massive Mechanical Properties	Modulus of Rupture	Min. 35N/mm ²	Min. 45N/mm ²	Min. 45N/mm ²	ISO-10545-4
	Breaking Strength	Min. 1300 N	Min. 7500 N	Min. 2000 N	ISO-10545-4
	Impact Resistance	As Per Mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
Surface Mechanical Properties	Deep Abrasion Resistance	Max. 175mm ³	Max. 132mm ³	Max. 132mm ³	ISO-10545-6
	Moh's Hardness	Min. 6	7	7	EN 101
	Surface Abrasion Resistance	As Per Mfg.	N. A.	N. A.	ISO-10545-7
Thermo Hygrometric Properties	Frost Resistance	No Damage	Frost Proof	Frost Proof	ISO-10545-12
	Thermal Shock Resistance	No Damage	No Damage	No Damage	ISO-10545-9
	Moisture Expansion	Nil	Nil	Nil	ISO-10545-10
	Thermal Expansion(COE)	Max. 9.0 X 10 ⁻⁶	Max. 6.5 X 10 ⁻⁶	Max. 6.5 X 10 ⁻⁶	ISO-10545-8
	Crazing Resistance	As Per Mfg.	N. A.	N. A.	ISO-10545-11
Chemical Properties	Chemical Resistance	No Damage	No Damage	No Damage	ISO-10545-13
	Stain Resistance	Resistant	Resistant	Resistant	ISO-10545-14
Safety Properties	Slip Resistance	> 0.40	> 0.40	> 0.40	ISO-10545-17

PACKING DEATIL

Product	áspero COLLECTION	
Size	60x60cm	60x60cm
Thikness	10mm	16mm
Pcs. / Box	4 Pcs	2 Pcs
Weight / Box (approx)	29.00 kg	26.00 kg
Area / Box	1.44 sq. mtr	0.72 sq. mtr

TILES & SANITARYWARE



CORPORATE OFFICE:
OASIS VITRIFIED PVT. LTD.
8-A, N.H., Kandla Road,
Morbi - 363 642, Gujarat, INDIA

☎ +91 70462 88888
@ info@oasistiles.in
🌐 www.oasistiles.in

DELHI OFFICE:
J-3/1, B1 Extn., 1st Floor,
Mohan Co-operative Ind. Estate,
New Delhi - 110 044, INDIA

☎ +91 99090 00574
@ delhi@oasistiles.in

AHMEDABAD OFFICE:
GF-01, New York Tower - A,
Thaltej Cross Road, Thaltej,
Ahmedabad - 380 054, Gujarat, INDIA

☎ +91 99098 04646
@ amd@oasistiles.in

INTERNATIONAL INQUIRY:
OASIS TILES INDIA

☎ +91 99099 88668
@ export@oasistiles.in

BANGLORE - KARNATAKA:

No. 25, 1st Floor, GR Mansion,
TC Palya Main Road, RM Nagar,
Bangalore - 560 016, Karnataka, INDIA

☎ +91 99747 42428
@ karnataka@oasistiles.in

BHUBHNESHWAR - ORRISA:

A-1, Govind Vihar, Bomikhal,
Backside of Ekamra Cinema Hall,
Bhubaneswar - 751 010, Orrisa, INDIA

☎ +91 72289 53167
@ orissa@oasistiles.in



GET IN TOUCH WITH
SOCIAL NETWORKING

